

平成3（1991年）3月

アイリス属
(旧名 ビアデットアイリス)
(Iris L.)

ビアデットアイリス種苗特性分類調査基準

部	形質	定 義	調 査	状 態	階 級	標 準 品 種 名
(01) 植 物 体	(01) 草 丈	開花時における地際から植 物体最高位までの高さ	測 定 図 1	低 (70 cm 未満) 中 (70 ~ 100) 高 (100 cm 以上)	3 5 7	ワイトスー (白)
	(02) 根 茎		観 察	小 中 大	3 5 7	ビウカ対 (桃)、ブラックタ (黒) K・ホト (白)、フィタス (青) ワイトスー (白)、五月空 (紫) ハ化 (青)
(03) 葉	(01) 葉の姿勢	自然状態での十分に発育し た葉の真横から見た姿勢	観 察	湾 曲 直 立 よじれる	1 2 3	ビウカ対 (桃)、 タイタスローリー (紫) フィタス (青) カトリマー (白)、アセト (白) ジョーグマイエ (白)
	(02) 葉の長さ	開花時における最大成葉の 基部から先端までの長さ ③ 開花時：開花2日目に調査 以下同様	測 定 cm単位	短 (30 cm 未満) 中 (30 ~ 50) 長 (50 cm 以上)	3 5 7	
	(03) 葉の幅	開花時における最大成葉の 最大幅	測 定 cm単位	狭 (3.0 cm 未満) 中 (3.0 ~ 5.0) 広 (5.0 cm 以上)	3 5 7	
	(04) 葉の厚さ	開花時における最大成葉の 最大幅部における厚さ (主脈を除く)	測 定 mm単位	薄 (0.5 mm 未満) 中 (0.5 ~ 1.0) 厚 (1.0 mm 以上)	3 5 7	ブラックタ (黒)
	(05) 葉の表面の色	開花時における成葉表面の 主要な色 (ブルームを含む)	測 定 J.H.S. カラーチャート	灰・緑 淡・緑 緑 その他	1 2 4 9	
	(06) 葉の基部のアントシ アンの着色の有無と程 度	開花時における成葉の基部 のアントシアンの着色の有 無とその程度	観 察	無 弱 中 強	1 3 5 7	黎明 (桃)
	(04) 花 茎	開花時における側花茎の有 無	観 察	無 有	1 9	

部	形質	定義	調査	測定方法	階級	標準品種名
イ 花 茎	(02) 花茎の1次分枝数	開花時における主花茎の1次分枝数	測定 本	少 (2 本 未満) 中 (2 ～ 5) 多 (5 本 以上)	3 5 7	
	(03) 花茎の2次分枝の有無	開花時における花茎の2次分枝の有無	観察	無 有	1 9	
	(04) 花茎の長さ	開花時における地際から苞基部までの長さ	測定 cm単位 図 1	短 (30 cm 未満) 中 (30 ～ 50) 長 (50 cm 以上)	3 5 7	
	(05) 花茎の太さ	開花時における花茎の中間部の太さ	測定 cm単位	細 (1.0 cm 未満) 中 (1.0 ～ 2.0) 太 (2.0 cm 以上)	3 5 7	ゴールデン（花黄）、フラクタ（花黒） ハイガール（花桃）、エリザベス（花青） ニュームン（花黄）
オ 花	(01) 花 数	開花時の主花茎における開花可能な蕾を含めた花の総数	測定 個	少 (5 個 未満) 中 (5 ～ 8) 多 (8 個 以上)	3 5 7	フラクタ（花黒） スーパーステーション（花黒）、 ペリコロラ（花白） カスバ（花桃）、ロード（花黄）
	(02) 花の縦径	開花時における花の最大縦径	測定 cm単位 図 3	短 (10 cm 未満) 中 (10 ～ 15) 長 (15 cm 以上)	3 5 7	フォックスファイア（花黄）、 エリザベス（花青） ペリコロラ（花黄）、ペリコロラ（花桃） K・ホワイト（花白）、 チェイン（花黄）
	(03) 花の横径	開花時における花の最大横径	測定 cm単位 図 3	短 (10 cm 未満) 中 (10 ～ 15) 長 (15 cm 以上)	3 5 7	リンゴ（花白）、アゼット（花桃） タイタス（花紫） マリ（花青）
	(04) 花の着色状態	開花時における花の全体に見た着色の状態	観察	単 色 複 色	1 2	ハイガール（花桃）、タキ（花黒）
オ 外 花 被 片	(01) 外花被片の姿勢	開花時における花の外花被片の姿勢	観察 図 4	下 垂 中 間 横張り	1 2 3	フォックスファイア（花黄）、アゼット（花桃） タイタス（花紫）、 スーパーステーション（花黒） ペリコロラ（花白）、カスバ（花桃）
	(02) 外花被片の全形	開花時における花の外花被片の全形の形状	観察 図 5	長楕円状倒皮針形 倒卵形 広倒卵形 円 形	1 2 3 4	

型	形質	定義	測定	状態	等級	標準品種名
タ ト イ 花 被 片	(03) 外花被片の長さ	開花時における外花被片の基部から先端部までの長さ	測定 cm単位	短 (7.0 cm 未満) 中 (7.0 ~ 10.0) 長 (10.0 cm 以上)	3 5 7	
	(04) 外花被片の幅	開花時における外花被片の最大幅	測定 cm単位	狭 (5.0 cm 未満) 中 (5.0 ~ 8.0) 広 (8.0 cm 以上)	3 5 7	
	(05) 外花被片の厚さ	開花時における外花被片の厚さ	観察	薄 中 厚	3 5 7	黎明 (白桃)、五月空 (白紫) ハル (白青) ブラックダイヤモンド (黒)
	(06) 外花被片の周縁の波打ちの程度 (フリル)	開花時における外花被片の周縁の波打ちの強弱	観察 図 6	弱 中 強	3 5 7	
	(07) 外花被片の周縁のひだの程度 (フリンジ)	開花時における外花被片の周縁の切れ込みの強弱	観察 図 7	弱 中 強	3 5 7	
	(08) 外花被片の光沢	開花時における外花被片の光沢の強弱	観察	弱 中 強	3 5 7	かぐや姫 (白桃)、ハル (白青) ヘルゴリンズウッド、リゴ (アモ)
	(09) 外花被片の表面が単色か複色かの区分	開花時における外花被片表面が単色か複色かの別	観察	単色 複色	1 2	ト・ホワイト、ソグナリウエイ (白) リベック・チ、テンゴールド (黄)
	(10) 外花被片の表面が単色の場合の色	開花時における外花被片表面が単色の場合の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤紫 青紫 青 その他	1 2 3 4 5 6 7 8 9	リベック・チ、サウスター (黄) ビリー・ス、かぐや姫 (白桃) クラウド・ベース (白)、シャボ (白) スーパー・ステーション (黒) ブルー・スター、ハル (青)

型	形質	定義	調査	状態	等級	標準品種名
外花被片	(11) 外花被片の表面の覆輪の有無とパターン	開花時における外花被片表面の覆輪の有無と着色パターン	観 察 図 8	無	1	
				極浅覆輪	2	ル・ブル・ブ (フリカータ)
				浅覆輪	3	ガマドリッド (バリエータ)、ゴーイングマイウェイ (フリカータ)
				深覆輪	4	エキチックスター (セーフ紫)、キトリット (フリカータ)
				極深覆輪	5	セントルイスブルース、ビクトリアフォールズ (セーフ青)
				二重覆輪	6	ショウケース (フリカータ)
				その他	9	
	(12) 外花被片表面の覆輪のAゾーンの色	開花時における外花被片表面の覆輪のAゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白	1	エキチックスター (セーフ 紫)
				黄	2	ココスト (セーフ黄)
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	ブロンズラッソー (フリカータ)
				青 紫	7	
	(13) 外花被片表面の覆輪のBゾーンの色	開花時における外花被片表面の覆輪のBゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白	1	リンゴ、ワッシュ (アヒナ)
				黄	2	ベバリーキャンドル (バリエータ)、デリアソン (フリカータ)
				茶	3	ココスト (セーフ 黄)、ガマドリッド (バリエータ)
				橙	4	
				桃	5	ネフェリティ (ブレッド)
				赤 紫	6	アクセント (バリエータ)、テトル、リッパングローズ (フリカータ)
				青 紫	7	ステップンガウト (フリカータ)
	(14) 外花被片表面の覆輪のCゾーンの色	開花時における外花被片表面の覆輪のCゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	
				青 紫	7	
				青	8	
				その他	9	

型	形質	定義	調査	状態区分	階級	標準品種名
外 花 被 片	(15) 外花被片の表面 の主脈部の着色 の鮮明度	開花時における外花被片表面の主脈部の着色の鮮明度	観 察	不鮮明 鮮 明	1 2	
	(16) 外花被片表面の 主脈部の色	開花時における外花被片表面の主脈部の着色の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(17) 外花被片表面の すじ状の着色の 有無と程度	開花時における外花被片表面のすじ状の着色の有無とその程度	観 察 図 9	無 少 中 多	1 3 5 7	
	(18) 外花被片表面の すじ状着色の色	開花時における外花被片表面のすじ状着色の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(19) 外花被片表面の 肩部の着色の有 無とその色	開花時における外花被片表面の肩部の着色の有無とその主要な色	測 定 J. H. S. カラーチャート 図 10	無 白 黄 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	

型	形質	定義	調査	状態	等級	標準品種名
(06) 外 花 被 片	(20) 外花被片裏面 が単色か複色か の区分	開花時における外花被片裏 面が単色か複色かの区別	観 察	単 色 複 色	1 2	
	(21) 外花被片裏面が 単色の場合の色	開花時における外花被片裏 面が単色の場合の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(22) 外花被片裏面の 覆輪の有無とパ ターン	開花時における外花被片裏 面の覆輪の有無と着色パタ ーン	観 察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪 その他	1 2 3 4 5 6 9	
	(23) 外花被片裏面の 覆輪のAゾーン の色	開花時における外花被片裏 面の覆輪のAゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(24) 外花被片裏面の 覆輪のBゾーン の色	開花時における外花被片裏 面の覆輪のBゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	

型	形質	定義	調査	状態区分	階級	標準品種名
(06)	(25) 外花被片裏面の Cゾーンの色	開花時における外花被片裏面の覆輪のCゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(26) 外花被片裏面の主脈部の着色の鮮明度	開花時における外花被片裏面の主脈部の着色の鮮明度	観察	不鮮明	1	
				鮮 明	2	
	(27) 外花被片裏面の 主脈部の色	開花時における外花被片裏面の主脈部の主要な色	測定 J. H. S. カラーチャート	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(28) 外花被片裏面の すじ状の着色の 有無と程度	開花時における外花被片裏面のすじ状の着色の有無とその程度	観察 図 9	無	1	
				少	3	
				中	5	
				多	7	
	(29) 外花被片裏面の すじ状着色の色	開花時における外花被片裏面のすじ状着色の主要な色	測定 J. H. S. カラーチャート	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	
				青 紫	7	
				青	8	
				その他	9	

部	形質	定 義	測 定	状 態	階 級	標 準 品 種 名
外 花 被 片	(06) 外花被片裏面の 肩部の着色の有 無とその色	開花時における外花被片裏 面の肩部の着色の有無とそ の主要な色	測 定 J. H. S. カラーチャート 図 10	無	1	
				白	2	
				黄	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
内 花 被 片	(01) 内花被片の姿勢	開花時における内花被片の 姿勢	観 察 図 11	抱 合 直 立 斜 上	1 2 3	ディスカス(セウ青)、ペンコーリクワッド(アモイ) カトリマー(セウ白)、ルモンシヨ(アモイ) ミカグライド(バリエータ)
	(02) 内花被片の全形	開花時における内花被片全 体の形状	観 察 図 5	長楕円状倒皮針形 倒卵形 広倒卵形 円 形	1 2 3 4	
	(03) 内花被片の長さ	開花時における内花被片基 部から先端部までの長さ	測 定 cm単位	短 (7 cm 未満) 中 (7 ~ 10) 長 (10 cm 以上)	3 5 7	K・初作(セウ 白) キャロットローズ(バリエータ)
	(04) 内花被片の幅	開花時における内花被片の 最大幅	測 定 cm単位	狭 (5 cm 未満) 中 (5 ~ 8) 広 (8 cm 以上)	3 5 7	ビウーシス(セウ桃)、サファイアヒス(セウ青) タイタズグローリー(セウ紫)、 リトルマツ(リバスアモイ)
	(05) 内花被片の厚さ	開花時における内花被片の 厚さ	観 察	薄 中 厚	3 5 7	
	(06) 内花被片の周縁 の波打ちの程度 (フリル)	開花時における内花被片の 周縁の波打ちの強弱	観 察 図 6	弱 中 強	3 5 7	
	(07) 内花被片の周縁 のひだの程度 (フリンジ)	開花時における内花被片の 周縁の切れ込みの強弱	観 察 図 7	弱 中 強	3 5 7	

型	形質	定義	調査	状態区分	階級	標準品種名
内花被片	(08) 内花被片の光沢	開花時における内花被片の光沢の強弱	観 察	弱 中 強	3 5 7	
	(09) 内花被片表面が単色か複色かの区分	開花時における内花被片の表面が単色か複色かの区別	観 察	単 色 複 色	1 2	
	(10) 内花被片表面が単色の場合の色	開花時における内花被片の表面が単色の場合の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(11) 内花被片表面の覆輪の有無とパターン	開花時における内花被片の表面の覆輪の有無と着色パターン	観 察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪 その他	1 2 3 4 5 6 9	
	(12) 内花被片表面の覆輪のAゾーンの色	開花時における内花被片の表面の覆輪のAゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

部	形質	定義	調査	状態	等級	標準品種名
(07)	(13) 内花被片表面の覆輪のBゾーンの色	開花時における内花被片表面の覆輪のBゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(14) 内花被片表面の覆輪のCゾーンの色	開花時における内花被片表面の覆輪のCゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(15)内花被片表面の主脈部の着色の鮮明度	開花時における内花被片表面の主脈部の着色の鮮明度	観察	不鮮明	1	
				鮮明	2	
	(16) 内花被片表面の主脈部の色	開花時における内花被片表面の主脈部の着色の主要な色	測定 J. H. S. カラーチャート	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(17) 内花被片表面のすじ状の着色の有無と程度	開花時における内花被片表面のすじ状の着色の有無と程度	観察 図 9	無	1	
				少	3	
				中	5	
				多	7	

型	形質	定義	調査	状態	等級	標準品種名
(07)	(18) 内花被片表面の すじ状着色の色	開花時における内花被片表面のすじ状着色の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(19)内花被片裏面 が単色化複色化 の区分	開花時における内花被片裏面が単色か複色かの区別	観察	単 色 複 色	1 2	
	(20) 内花被片裏面が 単色の場合の色	開花時における内花被片裏面が単色の場合の主要な色	測定 J. H. S. カラーチャート	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(21) 内花被片裏面の 覆輪の有無とパ ターン	開花時における内花被片裏面の覆輪の有無と着色パターン	観察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪	1 2 3 4 5 6	
	(22) 内花被片裏面の 覆輪のAゾーン の色	開花時における内花被片裏面の覆輪のAゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

型	形質	定義	測定	状態	等級	標準品種名
(07)	(23) 内花被片裏面の 覆輪のBゾーン の色	開花時における内花被片裏 面の覆輪のBゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(24) 内花被片裏面の 覆輪のCゾーン の色	開花時における内花被片裏 面の覆輪のCゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(25) 内花被片裏面 の主脈部の着色 の鮮明度	開花時における内花被片裏 面の主脈部の着色の鮮明度	観 察	不鮮明	1	
				鮮 明	2	
	(26) 内花被片裏面の 主脈部の色	開花時における内花被片裏 面の主脈部の主要な色	測 定 J. H. S. カラーチャート	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(27) 内花被片裏面の すじ状の着色の 有無と程度	開花時における内花被片裏 面のすじ状着色の有無とそ の程度	観 察 図 9	無	1	
				少	3	
				中	5	
				多	7	

部	形 質	定 義	調 査	状態	等級	標準品種名
(07) 内 花 被 片	(28) 内花被片裏面の すじ状着色の色	開花時における内花被片裏 面のすじ状着色の主要な色	測 定 J. H. S. カラーチャート	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	
				青 紫	7	
				青	8	
				その他	9	
(08) 花 柱 主 枝	(01) 花柱枝の先端の ひだ	開花時における花柱枝（爪 弁）の先端のひだの大きさ	観 察	小	3	
	(02) 花柱枝の色	開花時における花柱枝（爪 弁）の主要な色	測 定 J. H. S. カラーチャート	中	5	
				大	7	
				白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	
				青 紫	7	
				青	8	
				その他	9	
	(03) 花柱枝の2次的 な色	開花時における花柱枝（爪 弁）の主要な色に次ぐ2次 的な色	測 定 J. H. S. カラーチャート	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤 紫	6	
				青 紫	7	
				青	8	
	その他	9				
(09) ヒ ゲ 部	(01) ヒゲ部の長さ	開花時におけるヒゲ部の長 さ	測 定 cm単位	短 (4 cm 未満)	3	
				中 (4 ～ 5)	5	
				長 (5 cm 以上)	7	

髯	形質	定義	調査	性状区分	階級	標準品種名
(09) ヒゲ部	(02) ヒゲ部の太さ	開花時におけるヒゲ部の最大幅	測定 cm単位	細 (1.0 cm 未満) 中 (1.0 ~ 1.5) 太 (1.5 cm 以上)	3 5 7	エコーン (ブカ-タ)
	(03) ヒゲ部先端の突起物の有無と形状	開花時におけるヒゲ部の先端の突起物の有無と形状	観察	無 、 つの状 スプーン状	1 2 3	K・ホイト (セロ白)、サンオスター (セロ黄) スカイックス、エコーン (ブカ-タ) スーニタム (セロ黄) トリックオトリート (セロ 紫)
	(04) ヒゲ部の基部の色	開花時におけるヒゲ部の基部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(05) ヒゲ部の中間部の色	開花時におけるヒゲ部の中間部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(06) ヒゲ部の先端部の色	開花時におけるヒゲ部の先端部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

観	形質	定 義	観 察	状態	階級	標準品種名
(10) 系	(01) 葯の発育	開花時における葯の発育の 状態	観 察	正 常 異 常	3 5	
	(02) 葯の色	開花時における葯の主要な 色	観 察	白 その他	1 9	
(11) 生 育 特 性	(01) 開花期	通常栽培条件下における開 花の早晩	観 察	早 中 晩	3 5 7	
	(02) 開花期間	通常栽培条件下における主 花茎第一花の咲き始めから 最終花が咲き終るまでの期 間	観 察	短 中 長	3 5 7	
	(03) 二季咲性	通常栽培条件下における開 花後新たに花茎を生じて開 花する性質の有無	観 察	無 有	1 2	
	(04) 繁殖性	通常栽培条件下における繁 殖性の強弱	観 察	弱 中 強	3 5 7	
	(05) 耐寒性	通常栽培条件下における耐 寒性の強弱	観 察	弱 中 強	3 5 7	
	(06) 冬季の葉の状態	通常栽培条件下で冬季に成 葉が枯れるか枯れないかの 区別	観 察	枯れる 枯れない	1 2	
	(07) 耐暑性	通常栽培条件下における耐 暑性の強弱	観 察	弱 中 強	3 5 7	
	(08) 香の強弱	通常栽培条件下における香 の強弱	観 察	弱 中 強	3 5 7	

型	形 質	定 義	調 査	状態区分	階級	標 準 品 種 名
(11) 生態的特性	(09) 病害抵抗性	通常栽培条件下における病害抵抗性の強弱	観 察	弱 中 強	3 5 7	
	(10) 虫害抵抗性	通常栽培条件下における虫害抵抗性の強弱	観 察	弱 中 強	3 5 7	

ピアデットアイリス
種苗特性分類調査参考図




図 1. 01-01 草 丈 04-04 花茎の長さ




図 2. 03-01 葉の姿勢







図 3. 05-02 花の縦径 05-03 花の横径


花冠の名称



下垂




中間




横張り


図 4. 06-01 外花被片の姿勢




長楕円状
倒皮針形



倒卵形




広倒卵形



円形

図 5. 外・内花被片の全形




弱

中

強

図 6. 外・内花被片の波打ち（フリル）の程度




弱

中

強

図 7. 外・内花被片のひだ（フリンジ）の程度



無

極浅覆輪

浅覆輪

深覆輪

極深覆輪

二重覆輪

図 8. 覆輪の有無とパターン




図9. すじ状着色の有無とパターン




図10. 肩部の着色




図11. 内花被片の姿勢

(注) 参考図作成にあたりまして、「アイリス」(日本アイリス会監修、誠文堂新光社発行)を参考にしました。

特性検定のための栽培試験方法

品種の特性は、植物齢および栽培条件によって異なることがあるので、原則として次のような通常の条件で栽培され、正常に生育した株を検定の対象とする。

1. 9月中～下旬に株分けし、充実した球根（根茎）を30cm間隔で露地に定植する。

特性の検定は、翌年あるいは2年目に自然状態で開花したものをを用いる。

2. 関東以西では、冬期雨よけ程度の被覆下で保護する。

3. 花についての調査は、原則として開花2日後の午前中を基準とする

Bearded Iris Characteristics Table for
Recording and Registration

Characteristics	States	Example Varieties	Note	remarks
(01-01) Plant : height	low (below 70 cm)		3	Fig. 1
	medium (70 ~ 100)		5	
	high (over 100 cm)	Late Snow	7	
(02-01) Rhizome : size	small	Pink Cameo, Black Taffta	3	
	medium	K-White, Distance	5	
	large	Late Snow, Satukizora, High Heels	7	
(03-01) Leaf : pose	curved	Pink Cameo, Titan's Glory	1	Fig. 2
	upright	Distance	2	
	twist	Country Manner, Accent, Going My Way	3	
(03-02) Leaf : length	short (below 30 cm)		3	
	medium (30 ~ 50)		5	
	long (over 50 cm)		7	
(03-03) Leaf : width	narrow (below 3.0 cm)		3	
	medium (3.0 ~ 5.0)		5	
	wide (over 5.0 cm)		7	
(03-04) Leaf : thickness	thin (below 0.5 mm)		3	
	medium (0.5 ~ 1.0)	Black Dragon	5	
	thickness (over 1.0 mm)		7	
(03-05) Leaf : color of surface	gray green		1	J.H.S. color chart
	pale green		2	
	green		3	
	others		9	
(03-06) Leaf : degree of coloring anthocyanin on the base.	absent		1	
	weak		3	
	medium		5	
	strong	Reimei	7	
(04-01) Scape : absent or present of side scape	absent		1	
	present		9	

Characteristics	States	Example Varieties	Note	remarks
(04-02) Scape : number of first branching	few (below 2) medium (2 ~ 5) many (over 5)		3 5 7	
(04-03) Scape : absent or present of second branching	absent present		1 9	
(04-04) Scape : length	short (below 30 cm) medium (30 ~ 50) long (over 50 cm)		3 5 7	Fig. 1
(04-05) Scape : thickness	thin (below 1.0 cm) medium (1.0 ~ 2.0) thick (over 2.0)	Gold Galore, Black Taffta Play Girl, Eleanor's Pride New Moon	3 5 7	
(05-01) Flower : number of flowers	few (below 5) medium (5 ~ 8) many (over 8)	Black Dragon Superstition, Hellen Collingwood Casbah, Load Baltimore	3 5 7	Fig. 3
(05-02) Flower : length	short (below 10 cm) medium (10 ~ 15) long (over 15 cm)	Fox Fire, Eleanor's Pride Temple Gold, Beverly Sills K-White, Going My Way	3 5 7	Fig. 3
(05-03) Flower : width	short (below 10 cm) medium (10 ~ 15) long (over 15 cm)	Ringo, Accent Titan's Glory, Mary Frances	3 5 7	
(05-04) Flower : color condition	mono-color tri-color	Play Girl, Dusky Dancer	1 2	
(06-01) Outer perianth : pose	dropping medium wide sprasding	Fox Fire, Accent Titan's Glory, Superstition Premonition, Casbah	1 2 3	Fig. 4
(06-02) Outer perianth : whole shape	oblanceolate-oblong obovate oboval orbicular		1 2 3 4	Fig. 5

Characteristics	States	Example Varieties	Note	remarks
(06-03) Outer perianth : length	short		3	
	(below 7.0 cm)			
	medium		5	
	(7.0 ~ 10.0)			
	long		7	
	(over 10.0 cm)			
(06-04) Outer perianth : width	narrow		3	
	(below 5.0 cm)			
	medium		5	
	(5.0 ~ 8.0)			
	wide		7	
	(over 8.0 cm)			
(06-05) Outer perianth : thickness	thin	Reimei, Satukizora, High Hoe(?)	3	
	medium		5	
	thickness	Black Dragon	7	
(06-06) Outer perianth : degree of frill on the edge.	weak		3	Fig. 6
	medium		5	
	strong		7	
(06-07) Outer perianth : degree of fringe on the edge.	weak		3	Fig. 7
	medium		5	
	strong		7	
(06-08) Outer perianth : shine	weak	Kaguyahime, High Hoe(?)	3	
	medium		5	
	strong	Hellen Collingwood, Ringo	7	
(06-09) Surface of outer perianth: mono or tri-color	mono-color	K-White, Song of Norway, Olympic Torch Temple Gold	1	
	tri-color		2	
(06-10) Surface of outer perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange	Olympic Torch, Son of Star	4	
	pink	Beverly Sills, Kaguyahime	5	
	red purple	Cloud Capers, Chapeau	6	
	blue purple	Superstition	7	
	blue	Blue Luster, High Heels	8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-11)	absent		1	Fig. 8
Surface of outer perianth: pattern of marginal variegation	very shallow marginal variegation	Loop The Loop	2	
	shallow marginal variegation	Gara Madorid, Going My Way	3	
	deep marginal variegation	Exotic Star, Kiltlit	4	
	very deep marginal variegation	St. Louis Blues, Victoria Falls	5	
	double marginal variegation	Show Case	6	
	others		9	
(06-12)	white	Exotic Star	1	J. H. S. color chart
Surface of outer perianth: color of A zone of marginal variegation	yellow	Kona Coast(?)	2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple	Brown Lasso	6	
	blue purple		7	
	blue		8	
	others		9	
(06-13)	white	Ringo, Wabash	1	J. H. S. color chart
Surface of outer perianth: color of B zone of marginal variegation	yellow	Bayberry Candle, Debby Rairdon	2	Fig. 8
	brown	Kona Coast(?), Gara Madorid	3	
	orange		4	
	pink	Nefertiti	5	
	red purple	Accent, Theatre, Rippling Rose	6	
	blue purple	Stepping Out	7	
	blue		8	
	others		9	
(06-14)	white		1	J. H. S. color chart
Surface of outer perianth: color of C zone of marginal variegation	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-15)	unclearness		1	
Surface of outer perianth: degree of clearness of coloring on the part of midrib.	clearness		2	
(06-16)	white		1	J. H. S. color chart
Surface of outer perianth: color of the part of midrib.	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-17)	absent		1	Fig. 9
Surface of outer perianth: degree of coloring on stripe	few		3	
	medium		5	
	many		7	
(06-18)	white		1	J. H. S. color chart
Surface of outer perianth: color of stripe	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-19)	white		1	J. H. S. color chart
Surface of outer perianth: color of the part of shoulder	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-20) Under surface of outer perinath: Mono or tri-color	mono-color		1	
	tri-color		2	
(06-21) Under surface of outer perinath: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-22) Under surface of outer perinath: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(06-23) Under surface of outer perinath: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-24) Under surface of outer perinath: color of B zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-25) Under surface of outer perianth : color of C zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-26) Under surface of outer perianth : degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(06-27) Under surface of outer perianth : color of the part of midrib.	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-28) Under surface of outer perianth : degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	
(06-29) Under surface of outer perianth : color of stripe	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-30)	white		1	J.H.S.
Under surface of				color chart
outer perianth :	yellow		2	
color of the part of	brown		3	Fig. 10
shoulder	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-01)	embrance	Distance, Hellen Collingwood	1	Fig. 11
Inner perianth : pose	uprighth	Countory Manner, Premonition	2	
	across	Michigan Pride	3	
(07-02)	oblanceolate-oblong		1	Fig. 5
Inner perianth :	obovate		2	
whole shape	oboval		3	
	orbicular		4	
(07-03)	short		3	
Inner perianth : length	(below 7.0 cm)			
	medium	K-White	5	
	(7.0 ~ 10.0)			
	long	Camelot Rose	7	
	(over 10.0 cm)			
(07-04)	narrow		3	
Inner perianth : width	(below 5.0 cm)			
	medium	Beverly Sills, Sapphire Hills	5	
	(5.0 ~ 8.0)			
	wide	Titan's Glory, Little Much	7	
	(over 8.0 cm)			
(07-05)	thin		3	
Inner perianth :				
thickness	medium		5	
	thickness		7	
(07-06)	weak		3	Fig. 6
Inner perianth :				
degree of frill on the	medium		5	
edge.	strong		7	
(07-07)	weak		3	Fig. 7
Inner perianth :				
degree of fringe on	medium		5	
the edge.	strong		7	

Characteristics	States	Example Varieties	Note	remarks
(07-08) Inner perianth : shine	weak		3	
	medium		5	
	strong		7	
(07-09) Surface of inner perianth: mono or tri-color of the surface	mono-color		1	
	tri-color		2	
(07-10) Surface of inner perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-11) Surface of inner perianth: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(07-12) Surface of inner perianth: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(07-13) Surface of inner perianth: color of B zone of marginal variegation	white		1	J.H.S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-14) Surface of inner perianth: color of C zone of marginal variegation	white		1	J.H.S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-15) Surface of inner perianth: degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(07-16) Surface of inner perianth: color of the part of midrib.	white		1	J.H.S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-17) Surface of inner perianth: degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	

Characteristics	States	Example Varieties	Note	remarks
(07-18) Surface of inner perianth: color of stripe	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-19) Under surface of inner perianth: mono or tri-color	mono-color		1	
	tri-color		2	
(07-20) Under surface of inner perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-21) Under surface of inner perianth: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(07-22) Under surface of inner perianth: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(07-23) Under surface of inner perianth: color of B zone of marginal variegation	white		1	J. H. S. color chart
	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-24) Under surface of inner perianth : color of C zone of marginal variegation	white			J. H. S. color chart
	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-25) Under surface of inner perianth : degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(07-26) Under surface of inner perianth : color of the part of midrib.	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-27) Under surface of inner perianth : degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	

Characteristics	States	Example Varieties	Note	remarks
(07-28)	white		1	
Under surface of	yellow		2	
inner perianth :	brown		3	
degree of coloring on	orange		4	
stripe	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(08-01)	small		3	
Apex of style branch :	medium		5	
gathers of the tip of	large		7	
style branch				
(08-02)	white		1	J. H. S.
Apex of style branch :	yellow		2	color chart
color	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(08-03)	white		1	J. H. S.
Apex of style branch :	yellow		2	color chart
secondary color	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-01)	short		3	
Beard : length	(below 4 cm)			
	medium		5	
	(4 ~ 5)			
	long		7	
	(over 5 cm)			

Characteristics	States	Example Varieties	Note	remarks
(09-02)	narrow		3	
Beard : thickness	(below 1.0 cm)	Unicorn	5	
	medium (1.0 ~ 1.5)		7	
	thick (over 1.5 cm)			
(09-03)	absent	K·White, Son of Star	1	
Beard : prominence shape of the tip of beard	horn style	Sky Hooks, Unicorn	2	
	spoon style	Spoon Time, Trick or Treat	3	
(09-04)	white		1	J. H. S. color chart
Beard : color of the base of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-05)	white		1	J. H. S. color chart
Beard : color of the middle portion of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-06)	white		1	J. H. S. color chart
Beard : color of the tip of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(10-01)	normal		1	
Anther : development	abnormal		2	
(10-02)	white		1	
Anther : color	others		9	
(11-01)	early		3	
Ecological Characteristics : season of flowering	medium		5	
	late		7	
(11-02)	short		3	
Ecological Characteristics : time of opening flower	medium		5	
	long		7	
(11-03)	absent		1	
Ecological Characteristics : opening flower at two seasons	present		9	
(11-04)	weak		3	
Ecological Characteristics : propagation	medium		5	
	strong		7	
(11-05)	weak		3	
Ecological Characteristics : cold Hardiness	medium		5	
	strong		7	
(11-06)	deciduous		1	
Ecological Characteristics : persistency of leaves during winter	persistent		2	
(11-07)	weak		3	
Ecological Characteristics : heat hardiness	medium		5	
	strong		7	
(11-08)	weak		3	
Ecological Characteristics : flower fragrance	medium		5	
	strong		7	
(11-09)	weak		3	
Ecological Characteristics : resistance to disease	medium		5	
	strong		7	
(11-10)	weak		3	
Ecological Characteristics : resistance to pests	medium		5	
	strong		7	

Illustration of Bearded Iris Characteristics for Recording




Fig. 1 01-01 Plant height 04-04 Scape length




Fig. 2 03-01 Leaf pose







Fig. 3 05-02 Flower length 05-03 Flower width


Name of Corolla



dropping




medium




wide spreading


Fig. 4 06-01 Pose of outer perianth




oblanceolate-
oblong



obovate



oboval



orbicular

Fig. 5 Whole shape of outer (inner) perianth




Fig. 6 Degree of frill on th edge of outer(inner) perianth




Fig. 7 Degree of fringe on the edge of outer(inner) perianth




Fig. 8 Pattern of marginal variegation




Fig. 9 Degree of coloring on stripe of outer (inner) perianth




Fig. 10 Color of the part of shoulder of outer perianth




Fig. 11 07-01 Pose of inner perianth