

昭和63（1988年）3月

さるすべり属

(*Lagerstroemia* L.)

3. 特 性 審 査 基 準 (案)

(1) 特 性 審 査 基 準 (案)

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
樹 姿	1 樹姿	観察 自然状態の5年生以上の樹姿 図1参照	直立 開張 平開 枝垂れ その他	1 3 5 7 9	フロリバンダ・ロゼア ウィーピング・ヒメグ
	2 樹形	観察 自然状態の5年生以上の樹形 図2参照	楕円形 球形 その他	1 2 9	フロリバンダ・ロゼア トワーフ・ラベンダー
樹 高	3 樹高	観察 自然状態の5年生以上の樹高	極低 1m以下 低 1-2m 中 2-4m 高 4m以上	1 3 5 7	トワーフ・ラベンダー フロリバンダ・ロゼア
	4 樹幹のタイプ	観察 自然状態の5年生以上の単幹, 株立の別	単幹 株立	1 2	フロリバンダ・ロゼア トワーフ・ラベンダー
	5 樹幹の色	観察 開花期の樹幹の色	白 淡茶 茶 赤茶 その他	1 2 3 4 9	フロリバンダ・ロゼア ヤクマサルスベリ
枝	6 枝の太さ	測定 新梢中間部の太さ	細 中 太	3 5 7	トワーフ・ラベンダー フロリバンダ・ロゼア
	7 枝の色	観察 前年枝の色	白 淡茶 茶 赤茶 その他	1 2 3 4 9	
	8 枝の稜の明瞭さ	観察 新梢の稜の明瞭さ	不明瞭 明瞭	1 9	シマサルスベリ 加ロライナ・ビューティ
	9 分枝性	観察 分枝の着生密度	粗 中 密	3 5 7	ヤクマサルスベリ フロリバンダ・ロゼア トワーフ・ラベンダー
	10 節間長	測定 開花枝中間部の節間長 図3参照	短 中 長	3 5 7	フロリバンダ・ロゼア

重要形質	形 質	調 査 方 法 及 び 定 義	状 態 ・ 区 分	階 級	標 準 種 ・ 品 種 名
葉 形	11 葉身全体の形	観察 成葉の葉身全体の形 図 4 参照	広披針形 橢円形 広橢円形 卵形 倒卵形 その他	1 2 3 4 5 9	
	12 葉身先端の形	観察 成葉の葉身先端の形 図 5 参照	鋭尖形 鋭形 鈍形 円形 おう形 微突形 突形 その他	1 2 3 4 5 6 7 9	
	13 葉身基部の形	観察 成葉の葉身基部の形 図 6 参照	鋭尖形 鋭形 鈍形 円形 心形 その他	1 2 3 4 5 9	
	14 葉縁の形	観察 成葉の葉縁の形	全縁 その他	1 9	
	15 葉身の波打ち	観察 成葉葉身の波打ちの有 無	無 有	1 9	
	16 葉身長	測定 中庸な成葉の葉身先端 から基部までの長さ	短 中 長	3 5 7	アスカ系-3 フロリバンダ TM ・ロセ TM ア ヤクシマサルスベリ
	17 葉身幅	測定 中庸な成葉の最大幅	狭 中 広	3 5 7	アスカ系-3 フロリバンダ TM ・ロセ TM ア ヤクシマサルスベリ
	18 葉の厚さ	測定 中庸な成葉の厚さ	薄 中 厚	3 5 7	フロリバンダ TM ・ロセ TM ア

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
葉 色	19 未成葉の色	測定 展葉直後の表面の色 JHSカラーチャート (日本園芸植物標準色 票)を用い系統色名を 付記する	黄緑 淡緑 緑 濃緑 淡紅 紅 濃紅 紫紅 その他	1 2 3 4 5 6 7 8 9	
	20 成葉表面の色	観察	黄緑 淡緑 緑 濃緑 その他	1 2 3 4 9	
	21 成葉裏面の色	観察	黄緑 淡緑 緑 濃緑 その他	1 2 3 4 9	
	22 成葉の斑の有無	観察 成葉表面の斑の有無	無 有	1 9	
	23 成葉の斑のタイプ	観察 成葉表面の斑のタイプ	散斑 掃き込み斑 中斑 覆輪斑 ぼた斑 その他	1 2 3 4 5 9	
	24 成葉の斑の色	観察 成葉表面の斑の色	白 黄 黄緑 帯紅 その他	1 2 3 4 9	
	25 紅葉の色	観察 紅葉した時の色	黄 橙黄 橙赤 赤 その他	1 2 3 4 9	
	葉の光沢	観察 成葉表面の光沢の強さ	弱 中 強	3 5 7	ヤママリスハナリ フロリバンダ・ロゼツ
	26 葉の光沢				

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
葉 の 毛	27 葉表面の毛	観察 成葉表面の毛の有無	無 有	1 9	フロリバンダ・ロゼア トワーフ・ラハンダ
	28 葉裏面の毛	観察 成葉裏面の毛の有無	無 有	1 9	フロリバンダ・ロゼア
葉 柄	29 葉柄の長さ	測定 成葉の葉柄の長さ	短 中 長	3 5 7	フロリバンダ・ロゼア セクマリウスバリー
	30 葉柄の色	観察 成葉の葉柄表面の色	淡緑 緑 濃緑 緑褐 紅 紫紅 その他	1 2 3 4 5 6 9	カントリー・レッド フロリバンダ・ロゼア トワーフ・ラハンダ
つ ぼ み	31 つぼみの形	観察 図7参照	球形 円錐形 梯形 洋なし形 その他	1 2 3 4 9	トワーフ・ラハンダ シマリウスバリー ウィーピング・ピオン フロリバンダ・ロゼア
	32 つぼみの着色	観察 つぼみの赤味の着色程度	無 弱 中 強	1 3 5 7	ウィーピング・ピオン トワーフ・ラハンダ ウイリアム・ツアービー カントリー・レッド
花 房	33 花房のタイプ	観察 最大の花房のタイプ 図8参照	I型 II型 III型 その他	1 2 3 9	セクマリウスバリー フロリバンダ・ロゼア ウィーピング・ピオン
	34 花房の長さ	測定 最大の花房の長さ 図9参照	短 中 長	3 5 7	アスカ系-3 フロリバンダ・ロゼア ウィーピング・ピオン
	35 花房の幅	測定 最大の花房の最大幅 図9参照	狭 中 広	3 5 7	アスカ系-3 フロリバンダ・ロゼア ウィーピング・ピオン
花	36 花のタイプ	観察 一重咲、八重咲の別	一重咲 八重咲 その他	1 2 9	フロリバンダ・ロゼア 赤八重

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
花	37 花の大きさ	測定 満開時の1小花の花径 図10参照	小 2cm以下 中 3-5cm 大 6cm以上	3 5 7	シマリスハナ フクリハナ・ロゼア オオハナリスハナ
	38 花色変異の出現性	観察 1花房中での異なる花色の出現の有無 (色は付記する)	無 有	1 9	フクリハナ・ロゼア
	39 退色性	観察 1小花の花色の退色程度	無 弱 中 強	1 3 5 7	ハントリー・レッド フクリハナ・ロゼア トウワフ・ラハナ
	40 単色・複色の別	観察 1小花の単色・複色の別 (爪の色は除く)	単色 複色	1 9	フクリハナ・ロゼア
	41 複色のタイプ	観察	覆輪 絞り ぼかし その他	1 2 3 9	
	42 花弁の色	測定 開花盛期の花弁の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	
	43 複色花の花弁の2次の色	測定 開花盛期の花弁の2次の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	
	44 花弁の爪の色	測定 開花盛期の花弁の爪の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
花	45 花弁の形	観察 花弁の爪を除いた形 図11参照	卵形 へん円形 円形 その他	1 2 3 9	シマリスハナ フロリバンダ・ロゼア
	46 花弁の波打ち	観察 花弁縁の波打ちの程度	無 弱 中 強	1 3 5 7	フロリバンダ・ロゼア
	47 花弁全体の長さ	測定 図12参照	短 1cm以下 中 2-3cm 長 4cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	48 花弁の爪の長さ	測定 図12参照	短 0.5cm以下 中 1-2cm 長 3cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	49 花弁の幅	測定 花弁の最大幅 図12参照	狭 0.5cm以下 中 1-2cm 広 3cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	50 花弁数	測定	少 中 5-8枚 多	3 5 7	フロリバンダ・ロゼア
	雌雄ずい 51 花柱の色	観察	淡緑 淡紅 紅 紫紅 淡紫 その他	1 2 3 4 5 9	ウィーピング・ピンク カントリー・レッド トワーフ・ラバンダ
	52 雌ずいの数	測定	少 中 多	3 5 7	フロリバンダ・ロゼア
	53 六強雄ずいの花 糸の色	観察 (雄ずいおよび六強雄 ずいについては図13参 照)	白 淡桃 淡紅 紫紅 淡紫 その他	1 2 3 4 5 9	トワーフ・ラバンダ

重要形質	形 質	調 査 方 法 及 び 定 義	状 態 ・ 区 分	階 級	標 準 種 ・ 品 種 名
雌雄ずい	54 花糸の色	観察 六強雄ずいを除く花糸色	黄白 淡桃 淡紅 淡紫 その他	1 2 3 4 9	トワフ・ラハンダー カントリー・レッド
	55 雄ずいの数	測定	少 中 多	3 5 7	シマリスハナ フロリバンダ・ロゼア
が く	56 がく筒の稜	観察 がく筒部の稜の発達程度 図14参照	無 やや有 有	1 2 3	春日山 トワフ・ラハンダー
	57 小花柄の長さ	測定 開花時の小花柄の長さ	短 中 長	3 5 7	
	58 花数	測定 1花房の小花数	少 中 多	3 5 7	アサ系-3 フロリバンダ・ロゼア ワイピング・ピコ
花の香り 59 花の香り		観察	無 有	1 9	フロリバンダ・ロゼア トワフ・ラハンダー
果 実	60 果実全体の形	観察 成熟果全体の形 図15参照	橢円形 球形 その他	1 2 9	トワフ・ラハンダー フロリバンダ・ロゼア
	61 果実先端の形	観察 成熟果先端の形 図16参照	鈍形 円形 おう形 その他	1 2 3 9	フロリバンダ・ロゼア ワイピング・ピコ
	62 果実基部の形	観察 成熟果基部の形 図17参照	鋭形 円形 心形 その他	1 2 3 9	フロリバンダ・ロゼア トワフ・ラハンダー ワイピング・ピコ
	63 果実の長さ	測定 成熟果の長さ	短 中 長	3 5 7	フロリバンダ・ロゼア オオナリスハナ
	64 果実の幅	測定 成熟果の幅	狭 中 広	3 5 7	シマリスハナ フロリバンダ・ロゼア オオナリスハナ

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
果 実 65	果実の色	観察 乾燥前の色	淡褐	1	
			褐	2	
			その他	9	
ほう芽期 66	ほう芽期	観察 ほう芽の早晩	早	3	フロリガンダ・ロゼア
			中	5	
			晩	7	
開 花 期 67	開花始期	観察	早	3	
			中	5	
			晩	7	
68	開花期間	観察	短	3	
			中	5	
			長	7	
69	到花樹令の早晩	観察	早	3	トワフ・ラハンダ-
			中	5	
			晩	7	
70	落葉の早晩	観察	早	3	カロライナ・ビューティー
			中	5	
			晩	7	
耐 寒 性 71	耐寒性	観察	弱	3	
			中	5	
			強	7	
耐 暑 性 72	耐暑性	観察	弱	3	
			中	5	
			強	7	
病害 抵抗性	73 病害抵抗性	観察	弱	3	
			中	5	
			強	7	
虫害 抵抗性	74 虫害抵抗性	観察	弱	3	
			中	5	
			強	7	

(2) 特性審査基準 (案) 参考図




図1 樹姿

Fig. 1 Tree type




図2 樹形

Fig. 2 Tree form




図3 節間長

Fig. 3 Internode length




図4 葉身全体の形

Fig. 4 Whole shape of leaf




図5 葉身先端の形

Fig. 5 Shape of leaf apex





図6 葉身基部の形


Fig. 6 Shape of leaf base



1 球形
globose



2 円錐形
conical




3 梯形
trapezoid




4 洋なし形
pear-shaped

図7 つぼみの形


Fig. 7 Shape of flower bud



1 I型
type- I



2 II型
type- II



3 III型
type- III

図8 花房のタイプ

Fig. 8 Type of inflorescence




図9 花房の大きさ

Fig. 9 Size of inflorescence





図10 花の大きさ


Fig. 10 Diameter of a flower



1 卵形
ovate



2 へん円形
oblate



3 円形
rotundate

図11 花弁の形

Fig. 11 Shape of petal




図12 花弁の大きさ

Fig. 12 Size of petal






図13 雄ずいおよび六強雄ずい

Fig. 13 Long and short filaments



1 無
none



2 やや有
slightly developed



3 有
developed

図14 がく筒の稜

Fig. 14 Ridge of calyx tube



1 橢円形
elliptical



2 球形
globose

図15 果実全体の形

Fig. 15 Whole shape of fruit



1 鈍形
obtuse



2 円形
rotundate




3 おう形
emarginate

図16 果実先端の形


Fig. 16 Shape of fruit apex



1 鋭形
acute



2 円形
rotundate



3 心形
cordate

図17 果実基部の形

Fig. 17 Shape of fruit base

CHARACTERISTICS TABLE

Character		Description	Characteristics	Code	Standard cv.
1 Tree type	ob	(observation) see Fig. 1 Tree type over 5 years under natural conditions	upright spreading widely spreading weeping others	1 3 5 7 9	Floribunda Rosea Weeping Pink
2 Tree form	ob	see Fig. 2 Form of tree over 5 years under natural conditions	elliptical globose others	1 2 9	Floribunda Rosea Dwarf Lavender
3 Tree height	ob	Height of tree over 5 years under natural conditions	dwarf under 1m low 1-2m medium 2-4m tall over 4m	1 3 5 7	Dwarf Lavender Floribunda Rosea
4 Type of trunk	ob	Single or much-trunked after 5 years or more under natural conditions	single trunked much-trunked	1 2	Floribunda Rosea Dwarf Lavender
5 Trunk color	ob	Trunk color of flowering time	white light brown brown reddish brown others	1 2 3 4 9	Floribunda Rosea L. fouriei
6 Branch thickness	me	(measurement) Thickness in the middle portion of annual shoot	thin medium thick	3 5 7	Dwarf Lavender Floribunda Rosea
7 Branch color	ob	Branch color of previous year	white light brown brown reddish brown others	1 2 3 4 9	
8 Branch ridge	ob	Ridge of new branches	not obvious obvious	1 9	L. subcostata Carolina Beauty
9 Branching	ob	Density of branching	low medium high	3 5 7	L. fouriei Floribunda Rosea Dwarf Lavender
10 Internode length	me	see Fig. 3 Internode length in the middle portion of a flower- ing branch	short medium long	3 5 7	Floribunda Rosea

Character		Description	Characteristics	Code	Standard cv.
11 Leaf shape	ob	see Fig. 4	broad lanceolate	1	
		Shape of a mature leaf blade	elliptical	2	
			broad elliptical	3	
			ovate	4	
			obovate	5	
			others	9	
12 Leaf apex	ob	see Fig. 5	acuminate	1	
		Shape of a mature leaf apex	acute	2	
			obtuse	3	
			rotundate	4	
			emarginate	5	
			mucronate	6	
			cuspidate	7	
			others	9	
13 Leaf base	ob	see Fig. 6	acuminate	1	
		Shape of a mature leaf base	acute	2	
			obtuse	3	
			rotundate	4	
			cordate	5	
			others	9	
14 Leaf margin	ob	Serration of mature leaf margins	entire	1	
			others	9	
15 Leaf undulation	ob	Presence of undulation on mature leaf blade	none	1	
			presence	9	
16 Leaf length	me	Length from the apex to the base of a mature leaf	short	3	Asuka-3
			medium	5	Floribunda Rosea
			long	7	L. fouriei
17 Leaf width	me	The maximum width of a mature leaf	narrow	3	Asuka-3
			medium	5	Floribunda Rosea
			wide	7	L. fouriei
18 Leaf thickness	me	Thickness of a mature leaf	thin	3	
			medium	5	Floribunda Rosea
			thick	7	

Character		Description	Characteristics	Code	Standard cv.
19 Immature leaf color	me	JHS color chart Color of a immature leaf surface just after leafing out	yellow green light green green dark green light crimson crimson deep crimson purplish crimson others	1 2 3 4 5 6 7 8 9	
20 Color of mature leaf upperside	ob		yellow green light green green dark green others	1 2 3 4 9	
21 Color of mature leaf underside	ob		yellow green light green green dark green others	1 2 3 4 9	
22 Leaf variegation	ob	Variegation of a mature leaf surface	none variegated	1 9	
23 Variegation pattern	ob	Pattern of variegation on a mature leaf surface	spotted splashed centered margined blotched others	1 2 3 4 5 9	
24 Variegation color	ob	Variegation color of a mature leaf surface	white yellow yellow green reddish others	1 2 3 4 9	
25 Leaf color in autumn	ob	Color of autumnal tints	yellow yellowish orange reddish orange red others	1 2 3 4 9	
26 Leaf gloss	ob	Degree of gloss on a mature leaf surface	weak medium strong	3 5 7	L. fouriei Floribunda roses

Character		Description	Characteristics	Code	Standard cv.
27 Hair on leaf upperside	ob	Presence of hair on a mature leaf upperside	none present	1 9	Floribunda Rosea Dwarf Lavender
28 Hair on leaf underside	ob	Presence of hair on a mature leaf underside	none present	1 9	Floribunda Rosea
29 Petiole length	me	Length of a mature leaf petiole	short medium long	3 5 7	Floribunda Rosea L. fouriei
30 Petiole color	me	Color of a mature leaf petiole	light green green dark green greenish brown crimson purplish crimson others	1 2 3 4 5 6 9	Country Red Floribunda Rosea Dwarf Lavender
31 Shape of flower bud	ob	see Fig. 7	globose conical trapezoid pear-shaped others	1 2 3 4 9	Dwarf Lavender L. subcostata Weeping Pink Floribunda Rosea
32 Coloring of flower bud	ob	Red coloring of flower bud	none weak medium strong	1 3 5 7	Weeping Pink Dwarf Lavender William Toovey Country Red
33 Inflorescence type	ob	see Fig. 8 Type of the largest inflorescence	type-I type-II type-III others	1 2 3 9	L. fouriei Floribunda Rosea Weeping Pink
34 Inflorescence length	me	see Fig. 9 Length of the largest inflorescence	short medium long	3 5 7	Asuka-3 Floribunda Rosea Weeping Pink
35 Inflorescence width	me	see Fig. 9 Width of the largest inflorescence	narrow medium wide	3 5 7	Asuka-3 Floribunda Rosea Weeping Pink
36 Flower type	ob	Type of a floret	single full-double others	1 2 9	Floribunda Rosea Aka-yae

Character		Description	Characteristics	Code	Standard cv.
37 Flower diameter	me	see Fig. 10	small under 2cm	3	L. fouriei
		Floret diameter in full bloom	medium 3-5cm	5	Floribunda Rosea
			large over 6cm	7	L. speciosa
38 Flower color variation	ob	Flower color variation in an inflorescence (Note flower color)	none	1	Floribunda Rosea
			varied	9	
39 Flower color fading	ob	Degree of color fading of a floret	none	1	Country Red
			weak	3	Floribunda Rosea
			medium	5	Dwarf Lavender
			strong	7	
40 Type of flower color	ob	Type of a floret color (Except for color of petal claw)	unicolored	1	Floribunda Rosea
			multicolored	9	
41 Multicolor pattern	ob		marginied	1	
			splashed	2	
			shaded	3	
			others	9	
42 Ground color of petal	me	JHS color chart	white	1	
		Ground color of petal surface in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	
43 Secondary color of petal	me	JHS color chart	white	1	
		Secondary color of petal surface in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	
44 Color of petal claw	me	JHS color chart	white	1	
		Color of petal claw in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	

Character		Description	Characteristics	Code	Standard cv.
45 Petal shape	ob	see Fig. 11 Shape of a petal (Except for petal claw)	ovate oblate rotundate others	1 2 3 9	L. subcostata Floribunda Rosea
46 Petal frill	ob	Degree of frills on a petal margin	none weak medium strong	1 3 5 7	Floribunda Rosea
47 Whole length of petal	me	see Fig. 12	short under 1cm medium 2-3cm long over 4cm	3 5 7	L. subcostata Floribunda Rosea
48 Length of petal claw	me	see Fig. 12	short under 5mm medium 10-20mm long over 30mm	3 5 7	L. subcostata Floribunda Rosea
49 Petal width	me	see Fig. 12 The maximum width of petal	narrow under 5mm medium 10-20mm wide over 30mm	3 5 7	L. subcostata Floribunda Rosea
50 Number of petals	me	Number of petals in a floret	few medium 5-8 many	3 5 7	Floribunda Rosea
51 Style color	ob		light green light crimson crimson purplish crimson light purple others	1 2 3 4 5 9	Weeping Pink Country Red Dwarf Lavender
52 Number of pistils	me	Number of pistils in a floret	few medium many	3 5 7	Floribunda Rosea
53 Color of long filaments	ob	see Fig. 13	white light pink light crimson purplish crimson light purple others	1 2 3 4 5 9	Dwarf Lavender

Character		Description	Characteristics	Code	Standard cv.
54 Color of short filaments	ob		yellowish white	1	Dwarf Lavender
			light pink	2	Country Red
			light crimson	3	
			light purple	4	
			others	9	
55 Number of stamens	me	Number of stamens in a floret	few	3	L. subcostata
			medium	5	Floribunda Rosea
			many	7	
56 Calyx tube ridge	ob	see Fig. 14 Presence of ridge on the calyx tube	none	1	
			slightly devel.	2	Kasugayama
			developed	3	Dwarf Lavender
57 Pedicel length	me	Length of a floret pedicel	short	3	
			medium	5	
			long	7	
58 Number of flowers	me	Number of florets in an inflorescence	few	3	Asuka-3
			medium	5	Floribunda Rosea
			many	7	Weeping Pink
59 Fragrance	ob	Presence of fragrance	absent	1	Floribunda Rosea
			present	9	Dwarf Lavender
60 Fruit shape	ob	see Fig. 15 Whole shape of a mature fruit	elliptical	1	Dwarf Lavender
			globose	2	Floribunda Rosea
			others	9	
61 Fruit apex	ob	see Fig. 16 Shape of a mature fruit apex	obtuse	1	
			rotundate	2	Floribunda Rosea
			emarginate	3	Weeping Pink
			others	9	
62 Fruit base	ob	see Fig. 17 Shape of a mature fruit base	acute	1	
			rotundate	2	
			cordate	3	
			others	9	
63 Fruit length	me	Length of a mature fruit	short	3	
			medium	5	Floribunda Rosea
			long	7	L. speciosa
64 Fruit width	me	Width of a mature fruit	narrow	3	L. subcostata
			medium	5	Floribunda Rosea
			wide	7	L. speciosa

Character		Description	Characteristics	Code	Standard cv.
65 Fruit color	ob	Color of fruit before drying	light brown	1	
			brown	2	
			others	9	
66 Sprouting time	ob	Earliness of sprouting time	early	3	Floribunda Rosea
			medium	5	
			late	7	
67 Flowering time	ob	Earliness of flowering time	early	3	
			medium	5	
			late	7	
68 Flowering period	ob		short	3	
			medium	5	
			long	7	
69 Time to the first flowering	ob		early	3	Dwarf Lavender
			medium	5	
			late	7	Calorina Beauty
70 Earliness of leaf falling	ob		early	3	
			medium	5	
			late	7	
71 Cold hardiness	ob		weak	3	
			medium	5	
			strong	7	
72 Heat tolerance	ob		weak	3	
			medium	5	
			strong	7	
73 Pest resistance	ob		weak	3	
			medium	5	
			strong	7	
74 Disease resistance	ob		weak	3	
			medium	5	
			strong	7	

4. 特性検定のための栽培試験方法

品種の特性は樹令や栽培条件によって変化することがあるので、原則として次のような栽培条件下のものを対象とすること

- (1) 地植えにされた樹令5年生前後の正常に生育したもの
- (2) 生育調整剤による処理の行われていないもの
- (3) 1品種10個体以上で比較観察し、測定値はその平均値とする